

DR-39. SURFACE ELECTRICAL POTENTIAL OF $\text{ZrO}_2\text{--SiO}_2$ BINARY XEROGELS BY EPR pH-SENSITIVE SPIN PROBES

D. Antonov¹, E. Kovaleva¹, L. Molochnikov², A. Shishmakov³

¹Ural Federal University of the first President of Russia B. N. Yeltsin,
Mira St., 19, Yekaterinburg, 620002, Russia;

²Ural State Forest Engineering University, Sibirsky Trakt, 37, Yekaterinburg, 620100, Russia

³I. Ya. Postovsky Institute of Organic Synthesis UB RAS,
S. Kovalevskoy/Akademicheskaya St., 20/22, Yekaterinburg, 620990, Russia

E-mail: d.o.antonov@urfu.ru

Binary systems $\text{ZrO}_2\text{--SiO}_2$ are of interest as thin-film coatings, selective sorbents, catalysts, and their carriers [1–4].

Previously [5], it was shown that the materials based on silica and zirconia synthesized by the sol-gel technology in a water-ammonia atmosphere are highly porous, have a developed specific surface, and also exist in these materials as individual phases ZrO_2 and SiO_2 , and the mixed phase Zr--O--Si .

Also, for catalysis, the acidity of the medium plays an important role, but the pH of the external solution may differ from the pH of the solution inside the pores and near the surface of the catalyst. The reasons for these differences can serve as their own surface charge, as well as a change in the properties of water located near the surface.

Therefore, the purpose of this work is to assess the electric potential of the surface of mixed $\text{ZrO}_2\text{--SiO}_2$ xerogels and to study the changes in the acidity near these surfaces.

We performed a qualitative assessment of the surface electrical potential for individual and binary xerogels based on silica and zirconia which were synthesized by hydrolysis in aqua ammonia medium. The effect of surface charge on near surface local acidity of solid-phase compositions was studied.

References

1. Retention Behavior of Basic Solutes On Zirconia-Silica Composite Stationary Phase Supports In Normal Phase Liquid Chromatography / R. A. Shalliker [et al.] // J. Liq. Chromatogr. Relat. Technol. Taylor & Francis Group, 2002. Vol. 25, № 4. P. 561.
2. Layer-by-Layer Self-Assembly of Multilayer Zirconia Nanoparticles on Silica Spheres for HPLC Packings / Y. Wei [et al.] // Anal. Chem. American Chemical Society. 2004. Vol. 76, № 17. P. 5016.
3. Zuyi T., Wenming D. Additivity rule and its application to the sorption of radionuclides on soils // Radiochim. Acta. De Gruyter Oldenbourg, 2003. Vol. 91, № 5. P. 299.
4. Zhuang Q., Miller J. M. One-pot sol-gel synthesis of sulfated $\text{ZrO}_2\text{--SiO}_2$ catalysts for alcohol dehydration // Can. J. Chem. NRC Research Press Ottawa, Canada, 2001. Vol. 79, № 8. P. 1220.
5. Synthesis of $\text{ZrO}_2\text{--SiO}_2$ and $\text{ZrO}_2\text{--SiO}_2\text{--Cu (II)}$ xerogels by joint hydrolysis in an aqueous ammonia atmosphere / A. B. Shishmakov [et al.] // Russ. J. Inorg. Chem. Pleiades Publishing, 2016. Vol. 61, № 9. P. 1085–1091.

We acknowledge the financial support of the Program 211 of the Government of the Russian Federation № 02.A03.21.0006, RFBR grants № 17-03-00641 and 18-29-12129mk, the State Task from the Ministry of the Education and Science of the Russian Federation № 4.9514.2017/8.9.